

■ Features

- Universal PCI 3.3 / 5.0V
- ■1x LPT bidirectional
- supports EPP / ECP and 1284 mode
- ■PCI Plug and Play
- Drivers for Windows 95 to 7/2008 R2
- Software compatibel with DOS, Windows 3.11, OS/2, Linux and div. Unix

Zoom in Picture

VScom 011H UPCI

Quick Link: | Features | Overview | Hardware Specifications | Operating Systems | Ordering Information |

Overview

The parallel ports allow EPP/ECP data transfer. As such they are best to connect high-speed printers and some other devices, such as ZIP-drives.

■ Hardware Specifications

| Ports | 1x LPT bidirectional, EPP, ECP, 1284 |
|---------------|--------------------------------------------|
| Address | Plug and Play |
| Interrupts | PCI Plug and Play, only one interrupt/card |
| Bus interface | Universal PCI. 3.3V / 5.0V |
| Connectors | 1x DB25 female (LPT) |
| Temperature | 0°C - 55°C |
| | >Back to top |

Operating Systems


| • Operating Systems | | |
|------------------------|-----------------------------------------------------------------------------|--------------|
| Windows 2000 up to 7 | VScom parallel driver, x86 and x64 Editions | |
| Server 2000 to 2008 R2 | VScom parallel driver, x86 and x64 Editions | |
| Windows NT 4.0 | VScom parallel driver control panel applet | |
| Windows 95, 98, SE, ME | VScom parallel driver | |
| DOS | virtuell address driver and compatibility tools real DOS LPT port emulation | |
| OS/2 | Supported by COM16 driver in recent system releases | |
| Linux | Kernel 2.6 and up: built-in support Previous kernel: VScom LPT driver | |
| | | >Back to top |

Ordering Information

| Art.No 4406 | 4406 |
|--------------------|------|
|--------------------|------|

| Product Name | VScom 011H UPCI | |
|--------------|---------------------------------------------------|--------------|
| Packing list | VScom 011H UPCI card CD, English documentation | |
| | | >Back to top |

■ Full size product image



>Back to top