Model Information



Features

- Universal PCI 3.3 / 5.0V
- 2x RS232
- 1x LPT bidirectional, EPP, ECP
- 16C950 (128 Byte FIFO)
- 921 kbps
- PCI Plug and Play
- Software compatibel with DOS, Win3.11/95/98/ME/NT/2000, XP, OS/2 and div. Unix

Quick Link: | Features | Overview | Hardware Specifications | High Performance Features | Operating Systems | Ordering Information | Download |

Overview

The high speed serial ports with their 128 byte long FIFO are best for high speed communication, even in heavy loaded systems. Many unique features reduce the system load. They also allow very unusual speed settings such as 500.000bps. The parallel

Hardware Specifications

·	
Ports	2x RS232, (RxD, TxD, RTS, CTS, DTR, DSR, DCD, RI) 1x LPT bidirectional, EPP,ECP
UART	2x 16C950 (128 Byte FIFO)
Address	Plug and Play
Interrupts	PCI Plug and Play, only one interrupt/card
Speed	max. 921 kbps
Bus interface	Universal PCI. 3.3V / 5.0V
Connectors	1x DB9 male (COM), 1x DB25 female (LPT); 1x DB25 male (COM) (2. Slot)
Temperature	0°C - 55°C

■ High Performance Features

adjustable FIFO length, 1 up to 128Bytes separat adjustable Rx and Tx

RTS / CTS
DTR / DSR
Xon / Xoff
all handshake automatic on Chip

1bps up to 921kbps

Speed unusual Baudrates

Multiplication factor for legacy applications

Access high speed access via Memory

UART emulation of 8250 up to 16850

>Back to top

Operating Systems

Handshake

WIN95, WIN98, ME

VScom high performance serial driver parallel driver

WIN NT 4.0 VScom high performance serial driver control panel applet parallel driver

WIN 2000, XP

VScom high performance serial driver parallel driver

Win 2003 Server

VScom high performance serial driver parallel driver

virtuell address driver and compatibility tools real DOS Com port emulation

Supported by COM16 driver in recent system releases
Third party serial driver SIO.SYS available

Linux VScom high performance real tty and LPT driver

div.UNIX configuration instructions

		>Back to top	
■ Ordering Information			
Art.No	4427		
Product Name	VScom 210H PCI		
Packing list	VScom 210H UPCI card 2nd Bracket with one LPT Port CD, English documentation		

>Back to top