

## Model Information



### ■ Features

- Metal case
- Rackmount and DIN-Rail mountable
- RS232 DB9 male ports
- Speed up to 500 kbps
- built-in power supply

[Contact Online...](#)

# VScom USB-16COM-RM

Quick Link: | [Features](#) | [More Pictures](#) | [Overview](#) | [Hardware Specifications](#) | [Ordering Information](#) |

## ■ More Pictures



Click on the thumbnails for the large picture ...

[>Back to top](#)

## ■ Overview

Serial ports on USB allow further use of existing devices, even when the computer doesn't offer serial ports.

The high speed serial port with the 128 byte FIFO allow high speed communication, even in heavy loaded systems. Unique features reduce the system load. The serial port also allows unusual speed settings like 500.000bps.

## ■ Hardware Specifications

### Serial interface

- 16 x RS232
- Connector 16 x DB9 male
- Speed up to 500 kbps
- Signals TxD, RxD, RTS, CTS, DTR, DSR, DCD, GND

### USB Interface

USB 2.0

- Self powered
- Built-in power supply 110-240V AC 47-63 Hz, 25VA

### Driver

- Windows 2000 to Windows 10 (x86 and x64)
- Windows Server 2000 to 20012 (x86 and x64)
- Linux (Kernel 2.6 built-in, 2.4 available)

[>Back to top](#)

## ■ Ordering Information

### Part Number

640

### Product Name

VScom USB-16COM-RM

### Packing list

- VScom USB-16COM-RM Adapter
- USB cable 0,9m
- Power cord

### Optional Accessories

[9PF-9PF](#) RS232 Null-Modem adapter, change male to female

### Dimensions

- 429×147×44 mm<sup>3</sup> (W×L×H)

- 451×152×44 mm<sup>3</sup> with DB9 connector and ears

[>Back to top](#)

# Vscom USB-16COM-RM

[>Back](#)

